## Part number

# CGFA 10





Female crimp contact, CG series, 100 A, turned silver plated, wire cross section 8 - 10 mm<sup>2</sup>, AWG 8 - 7

Product description	
Product type	Crimp contact
Series	CG
Gender	Female
Technical data	
Current	100 A
Wire cross-section	8,00 mm <sup>2</sup> - 10,00 mm <sup>2</sup>
AWG size	8 - 7
Contact type	Turned silver plated
Further technical details	
Weight	15,40 g


Material properties	
Main material	Copper alloy
RoHs conformity	Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight
China RoHs - EFUP	50
REACH SVHC substances	Yes Lead
SCIP number	C0979fba-9907-458f-a94a-db781440f273
Approvals / Standards	
Certifications	CSA, EAC
UL	ECBT2
cUL	ECBT8
General ordering information	on
EAN13 code	8015747091114
eCl@ss 8.1	27440204
ETIM 7.0	EC000796
Packaging Information	
Sub-packaging length	1,00 mm
Sub-packaging height	1,00 mm
Sub-packaging width	1,00 mm
Sub-packaging weight	0,46 kg
Sub-packaging description	Plastic box
Sub-packaging quantity	30 Pcs
Sub-packaging EAN barcode	8015747091190

#### Part number

## CGFA 10



#### Catalogue drawings



#### CGF and CGM contacts

conductor	condu	ctor slot	:	conductor
section	øΑ	øΒ	øС	stripping length
(mm <sup>2</sup> )	(mm)	(mm)	(mm)	(mm)
8-10	4,3	4,3	13	15
16 25 35	5,5	5,5	13	15
25	7,0	7,0	13	15
35	7,9	8,2	12,5	15

## **Notes**

Dimensions shown in mm are not binding and may be changed without notice.

#### **California Proposition 65 Information**



WARNING

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to www.P65Warnings.ca.gov.