


Part number

CIF Q4/2 2.4



Interface for printed circuit, 4 poles + PE, for up to 2,4 mm thick PCB


Product description		Material properties	
Product type	Interface for printed circuit	Main material	Polycarbonate (PC)
N. of poles	4 poles + 	Other materials	Contacts: copper alloy
Specification	For CQ 04/2 inserts For up to 2,4 mm thick PCB	Colour	RAL 7032 grey
Technical data		RoHS conformity	Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight
Current	30 A	China RoHS - EFUP	50
Voltage	400 - 690 V	REACH SVHC substances	Yes
Rated impulse withstand voltage	6 kV	Lead	022a8a72-7a4c-443a-a1ad-2461ccc7884c
Pollution degree	2	SCIP number	022a8a72-7a4c-443a-a1ad-2461ccc7884c
Contact type	Turned silver plated	Approvals / Standards	
Further technical details		Certifications	DNV
Characteristics according to EN 61984	30A 400/690V 6kV 2; 7,5A 250V 4kV 2	UL	ECBT2
Contact resistance	≤ 3 mΩ	cUL	ECBT8
Weight	15,00 g	General ordering information	
Operating temperature range (min, max)	-40°C...+125°C	EAN13 code	8015747252355
UL 94 flammability rating	UL 94 V-0	eCl@ss 8.1	27449290
		ETIM 7.0	EC002943
Packaging Information			
Packaging length	180,00 mm	Packaging height	120,00 mm
Packaging width	155,00 mm	Packaging weight	1,07 kg
Packaging volume	3,35 dm ³	Packaging description	Carton box
Packaging quantity	60 Pcs	Packaging EAN code	8015747252362
Sub-packaging length	35,00 mm	Sub-packaging height	40,00 mm
Sub-packaging width	155,00 mm	Sub-packaging weight	0,18 kg
Sub-packaging volume	0,22 dm ³	Sub-packaging description	Carton tray
Sub-packaging quantity	10 Pcs	Sub-packaging EAN barcode	8015747252379

Part number


CIF Q4/2 2.4



Catalogue drawings



PCB-Layout



Notes

Dimensions shown in mm are not binding and may be changed without notice.

California Proposition 65 Information



WARNING

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to www.P65Warnings.ca.gov.

