

Part number

CX 01 9VTF



Female modular insert, Mixo Data series, D-SUB, 9 poles, 1 module, 5 A 50 V 0,8 kV 3, shielded, for RS-485 T-connection


Product description		Material properties	
Product type	Modular insert	Main material	Polycarbonate (PC)
Series	Mixo Data	Colour	RAL 7032 grey
Connection type	D-SUB	RoHs conformity	Compliant
Gender	Female	China RoHs - EFUP	E
N. of poles	9 poles	REACH SVHC substances	No
Size	1 module	General ordering information	
Specification	For RS-485 T-connection Shielded	EAN13 code	8015747252201
Technical data		eCl@ss 8.1	27440205
Current	5 A	ETIM 7.0	EC000438
Voltage	50 V	Packaging Information	
Rated impulse withstand voltage	0,8 kV	Packaging length	112,00 mm
Pollution degree	3	Packaging height	95,00 mm
IP degree of protection	IP20 without enclosure, IP65/IP66/IP68/IP69 with enclosure	Packaging width	117,00 mm
Further technical details		Packaging weight	0,26 kg
Characteristics according to EN 61984	5A 50V 0,8kV 3	Packaging volume	1,24 dm ³
Insulation resistance	≥ 10 GΩ	Packaging description	Carton box
Weight	22,00 g	Packaging quantity	10 Pcs
Operating temperature range (min, max)	-40°C...+70°C	Packaging EAN code	8015747252218
		Sub-packaging weight	0,03 kg
		Sub-packaging description	Plastic bag
		Sub-packaging quantity	1 Pcs
		Sub-packaging EAN barcode	8015747252225

Part number

CX 01 9VTF




Catalogue drawings



contacts side (front view)

side with reference arrow ▲



- 1 frame slot

Notes

California Proposition 65 Information



WARNING

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to www.P65Warnings.ca.gov.
