CKF 04 RY





メス インサート, CK RY シリーズ, ネジ式結線, 4極 + PE, 10 A 230/400 V 4 kV 3, サイズ "21.21", 180 までの用途用


製品説明	
製品タイプ	インサート
シリーズ	CK RY
接続タイプ	ねじ式接続
性別	メス
極数	4極+
サイズ	サイズ"21.21"
仕様	180度までのアプリケーション用
技術データ	
電流	10 A
電圧	230 - 400 V
定格インパルス耐電圧	4 kV
汚染度	3
導体断面積	0,75 mm ² - 2,50 mm ²
AWG サイズ	18 - 14
コンタクトタイプ	切削コンタクト 銀メッキ
IP 保護等級	エンクロージャなしの場合IP20 エンクロージャ 有りの場合IP44
技術詳細	
重さ	17,60 g
動作温度範囲(最小 最大)	-40°C +180°C

材料特性	
主な素材	ポリフェニレンスルファイド (PPS)
その他の素材	銅合金
SCIP番号	1a9c93ff-0445-4a16-81e3-1609ac5274d6
認証/規格	
参照	EN 61984:2009-06
認証	CSA, CQC, DNV, BV, EAC
UL	ECBT2
cUL	ECBT8
ジェネラルオーダリングインフォメーション	
EAN13 コード	8015747028110
ecl@ss 分類	27440205
ETIM 分類	EC000438
パッケージ情報	
サブパッケージ 長さ	197,00 mm
サブパッケージ 高さ	35,00 mm
サブパッケージ 幅	113,00 mm
サプパッケージ 重量	0,70 kg
サプパッケージ 体積	0,78 dm³
サプパッケージ 詳細	カートンボックス
サプパッケージ 数量	40 個
サブパッケージ∏EAN バーコー ド	8015747028127

CKF 04 RY



カタログ図面



contacts side (front view)






IVI

ディレーティング曲線

CK...RY 04 poles connector inserts Maximum current load derating diagram



メモ

mmで示されている寸法は拘束力がなく、予告なく変更される場合があります。

California Proposition 65 Information



WARNING

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 Information



WARNING

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to www.P65Warnings.ca.gov.