

ECBT8.E115072 - Connectors for Use in Data, Signal, Control and Power Applications Certified for Canada - Component

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.

Connectors for Use in Data, Signal, Control and Power Applications Certified for Canada - Component

ILME SPA

Via Marco Antonio
Colonna 9
Milano, Mi 20149 Italy

E115072

Marking: Company name or trademark  ,  , model designation, and the Recognized Component Mark for Canada 

Note: For additional marking information, refer to the [Guide Information Page](#).

Accessories for Enclosures Series, "Locking Lever Devices", Model(s): CR CLK, CR YLK24, CR YLK24 SL

Connector Enclosures, Model(s): CYR, CZ7, MZ7.

Connector Frames, "MIXO", Model(s): CX 01 TM, CX 02 TM, CX 03 TM, CX 04 TF, CX 04 TM, CX 06 TF, CX 06 TM, RX 01 TF, RX 01 TM, RX 02 TF, RX 02 TM, RX 03 TF, RX 03 TM, RX 04 TF, RX 04 TM, RX 06 TF, RX 06 TM

Connectors, Model(s): CJ followed by KF or KM., CJK 8M, CX followed by 03, f/b 4M, Series CDA, Series CDC, Series JDA, Series JEI

Connectors, Model(s): CJK 8 followed by FT or MT or IFT or IMT .

Connectors, Model(s): CNE, followed by M or F, may be followed by D, followed by 06, 10, 16 or 24, may be followed by a number, may be followed by T, may be followed by RY, may be followed by X, may be followed by N.

Connectors, Model(s): Series CDSH, followed by followed by M or F, may be followed by D, followed by 09, 18, 27, 42, may be followed by N

Connectors, Model(s): Series CLK, followed by 04, followed by SC, followed by M or F.

Connectors, Model(s): Series CSAH followed by M or F, may be followed by D, followed by 10, 16, may be followed by N

Connectors, Model(s): Series CT, followed by F or M, followed by 06, 10, 16, 24, 40 or 64, followed by a one or two digit number, followed by R or L, may be followed by N.

Connectors, Model(s): Series CTSE, followed by M or R, followed by 06, 10, 16, 24, followed by R or L, may be followed by N.

Connectors, Model(s): Series CXL, may be followed by 2/4, followed by P or S, followed by M or F, may be followed by H.

Connectors Frames, "MIXO", Model(s): CX 01 TF, CX 02 TF, CX 03 TF

Connectors, "CD Series", Model(s): CD followed by 07, 08, 15, 25, 40 or 64, may be followed by N or Z.

Connectors, "CDD Series", Model(s): CDD followed by 24, 38, 42, 72, 108, may be followed by N.

Connectors, "CK Series", Model(s): CKM 03 followed by T1, T2 or T3.

Connectors, "CKS", Model(s): CKS followed by F or M, may be followed by D, followed by 03 or 04, may be followed by N or RY.

Connectors, "CKSH Series", Model(s): CKSH followed by F or M, may be followed by D, followed by 03 or 04, may be followed by N or RY.

Connectors, "CME Series", Model(s): CME followed by M or F, may be followed by D, followed by 03, 06, 10, may be followed by T, may be followed by X, may be followed by N.

Connectors, "CQ Series", Model(s): CQ

Connectors, "CQ4 series", Model(s): CQ4M 03/2, CQ4F 03/2

Connectors, "CQ4", Model(s): CQ4

Connectors, "CQE Series", Model(s): CQE F 10, CQE F 18, CQE F 32, CQE F 32N, CQE F 46, CQE F 46N, CQE M 10, CQE M 18, CQE M 32, CQE M 32N, CQE M 46, CQE M 46N

Connectors, "CQEE Series", Model(s): CQEE, followed by F or M, followed by 40 or 64, may be followed by N.

Connectors, "CX Series", Model(s): CX 12/2, CX F/B 01, followed by UM

Connectors, "CX Series", Model(s): Series CX, followed by 1/2, followed by BD, followed by M or F

Connectors, "CX", Model(s): CX 4/0, CX 4/2, CX 4/8, CX 6/12, CX 6/36, CX 6/6, CX 8/24

Connectors, "JEI Series", Model(s): Cat. Nos. JCKS, followed by F or M, followed by 03 or 04.

Connectors, "JEI Series", Model(s): Cat. Nos. JKS, followed by F or M, followed by 03 or 04.

Connectors, "JEI Series", Model(s): JCNE, followed by F or M, followed by 06, 10, 16 or 24, may be followed by N.

Connectors, "JEI Series", Model(s): JNE, followed by F or M, followed by 06, 10, 16 or 24, may be followed by N.

Connectors, "JEI", Model(s): JKSH followed by F or M, followed by 03 or 04.

Connectors, "MIXO Series", Model(s): CUK followed by 2 or 3, followed by FT, CX followed by 03, f/b 4BM, CX f/b 01, followed by BF, CX f/b 01, f/b JM, CX f/b 01, followed by BCF, CX f/b 01, followed by BCM, CX f/b 01, followed by BM, CX F/B 01, followed by UF, CX f/b 01, followed by YPEF, CX f/b 01, followed YPEM, CX f/b 02, followed by JM, CX f/b 03, followed by 4BF, CX f/b 04, followed by LF, CX f/b 04, followed by LM, CX f/b 04, followed by RM, CX f/b 04, followed by SCF, CX f/b 04, followed by SCF-H, CX f/b 04, followed by SCM, CX f/b 05, followed by SHF, CX f/b 06, followed by CM, CX f/b 06P, followed by CM, CX f/b 08, followed by BF, CX f/b 08, followed by BM, CX f/b 08, followed by CF, CX f/b 08, followed by CM, CX f/b 08, followed by I6F, CX f/b 08, followed by I6M, CX f/b 17, followed by DF, CX f/b 17, followed by DM, CX f/b 20, followed by CF, CX f/b 20, followed by CM, CX f/b 20S, followed by IF, CX f/b 20S, followed by IGF, CX f/b 20S, followed by IGM, CX f/b 20S, followed by IM, CX f/b 3/4, CX f/b 6/8, CX f/b 60, followed by CF, CX f/b 60, followed by CM, CX followed by, CX followed by 01, CX followed by 01, f/b YF, CX followed by 02, CX followed by 02, f/b 4AF, CX followed by 02, f/b 4AM, CX followed by 02, f/b 4BF, CX followed by 02, f/b 4BM, CX followed by 02, f/b 4F, CX followed by 02, f/b 4M, CX followed by 02, f/b BF, CX followed by 02, f/b BM, CX followed by 02, f/b P, CX followed by 02, followed by 7F, CX followed by 02, followed by 7M, CX followed by 03, f/b 4F, CX followed by 03, f/b P, CX followed by 04, followed by XF, CX followed by 04, followed by XM, CX followed by 05, f/b SF, CX followed by 05, f/b SHM, CX followed by 05, f/b SM, CX followed by 25, followed by IBF, CX followed by 25, followed by IBM, CX followed by 25, followed by IF, CX followed by 25, followed by IM, CX followed by 42, f/b DF, CX followed by 42, f/b DM, CX, f/b 01, f/b JF, CX, f/b 02, f/b JF

Connectors, "Mixo", Model(s): CX 01 J8AIF, CX 01 J8BIF, CX 01 J8PIF, CX 36 I f/b M or F, RX 08 I6 f/b M or F, RX 20S I, RX 20S IG f/b M or F

Connectors, "Mixo", Model(s): CX 08 D5, CX 08 D5G f/b M or F, may be f/b 2

Connectors, "Mixo", Model(s): RX 08 D5, RX 08 D5G f/b M or F, may be f/b 2

Connectors, "MIXO", Model(s): CX f/b 01, followed by YM, CX f/b 04 followed by BF, CX f/b 04, followed by BM, CX f/b 04, followed by RF, CX f/b 06, followed by CF, CX f/b 06P, followed by CF, CX followed by 01,, CX followed by 12, f/b DF

Connectors, "RD", Model(s): RD followed by 40 or 64.

Connectors, "RDD", Model(s): RDD followed by 24, 42, 72, 108.

Connectors, "RQEE Series", Model(s): RQEE followed by F or M, followed by 40 or 64.

Connectors, "RX", Model(s): RX

Connectors, "Series CDS, JEI", Model(s): Cat. JDS followed by M or F, CDS may be followed by D, followed by 09, 18, 27, 42, may be followed by N.

Connectors, "Series CDSH, JEI", Model(s): Cat. JDSH followed by M or F, may be followed by D, followed by 09, 18, 27, 42, may be followed by N

Connectors, "Series CMSH, JEI", Model(s): Cat. JMSH followed by F or M, followed by 03, 06, 10 or 16, may be followed by N.

Connectors, "Series CQ", Model(s): Cat. CQAM 12 T1

Connectors, "Series CSH S, JEI", Model(s): Cat. JSH S followed by M or F, may be followed by D, followed by 06, 10, 16 or 24, may be followed by N.

Connectors, "Series CSH, JEI", Model(s): Cat. JSH followed by M or F, may be followed by D, followed by 06, 10, 16 or 24, may be followed by N

Connectors, "Series JEI", Model(s): JSAH followed by M or F, may be followed by D, followed by 10, 16, may be followed by N

Crimp Contacts, "CC Series", Model(s): Series CC

Crimp Contacts, "CD Series", Model(s): Series CD

Crimp Contacts, "CG Series", Model(s): Series CG

Crimp Contacts, "CI Series", Model(s): Series CI

Crimp contacts, "CX series", Model(s): Series CX

Crimp contacts, "CX7 Series", Model(s): Series CX7

Crimp Contacts, "CX7 series", Model(s): CX7 f/b F or M, f/b A or D, f/b 6.0, 10, 16 or 25

Crimp Contacts, "CY Series", Model(s): Series CY

Crimp Contacts, "HNM series", Model(s): RX7 f/b F or M, f/b 2D, f/b 6.0, 10, 16 or 25

Crimp Contacts, "HNM Series", Model(s): Series RC, Series RD, Series RG, Series RI, Series RX

Crimp Contacts, "SI series", Model(s): SI f/b F or M, f/b 1D or 2D or 3D, f/b 0.2 or 0.5 may be f/b C (coil package) or R (reel package)

Enclosure Series, Model(s): CKX, MAP, MKA, MKX, Series CK and Series MK, Series CKA and Series MKA, Series CKAG and MKAG, Series CKG and MKG

Enclosures Series, Model(s): CAN and CMAN, CAV GYC, MAV GYC, CFV GYC, MFV GYC., CB and MB BIG, CGK V, MGK V, CHIX 32, JP (Series JEI-P), JV (Series JEI-V), MAV and MAF, MK V, MK VG, MKG V, MKG VN., MQ 08 VO225 and CQ 08 V-1, Series C7 and M7, Series C7A and M7A, Series CQ and CQS, Series CQO and MQO, Series CQV and MQV, Series CYG 16, Series CZAC and CAC, Series JCV and JMV (Series JEI), Series T-BOX (CYG)

Enclosures Series, Model(s): Series CV and MV (CVI 10 LA and MVI 10 LAP),

Enclosures Series, "C-Type", Model(s): CF, MF, CAC.

Enclosures Series, "EMC", Model(s): MKAS IVG20

Enclosures Series, "E-Xtreme", Model(s): CH, MA, C7, M7, M7A, MH, MF, CKA, MKA, CZ, MZ, MZA, CG, MG.

Enclosures Series, "HNM", Model(s): RV, RH, RF, RAC.

Enclosures Series, "LS-Type", Model(s): CH...N, MA...N, MF...N, MH...N

Enclosures Series, "Series MIXO ONE", Model(s): CKA(X)(X) 03 IA4, CR CX01B, CR CX01G, CR CX01N, CR CX01R, CXA 01 I, CXP 01 C, CXP 01 CLG, MKA(X)(X) IA420, MKA(X)(X) IF, MKA(X)(X) IFC, MKA(X)(X)AP25/IAP25, MXA 01 O25, MXA 01 V25, MXA 01 V32

Enclosures Series, "Series Z", Model(s): CG and MG, CGK and MGK, CZAO and MZAO,, CZAP and MZAPZ,, CZC (Series Z), CZF and MZF,, CZI,, CZO and MZO,, CZP and MZP,, Series CA and Series MA, Series CH and Series MH, Series CI and MI, Series CM and Series MM, Series CMA and Series MMA, Series CZ and Series MZ, Series CZV and MZV

Enclosures Series, "Simplex", Model(s): CVP-MVP, CVAP-MVAP, CZP-MZP, CZAP-MZAP.

Enclosures Series, "T-Type Hygienic", Model(s): T-Type /C: THIC, TAPC, TAVC, THCC, followed by 06 or 10 or 16 or 24, may be followed by suffix denoting additional features, may be followed by B.

Enclosures Series, "T-Type Hygienic", Model(s): T-Type /H: THIH, TAPH, TAVH, THCH, followed by 06 or 10 or 16 or 24, may be followed by suffix denoting additional features, may be followed by B.

Enclosures Series, "T-Type", Model(s): TC and TM, TCHI, TMAP, TMAO, TCHC and TMAV followed by 06 or 10 or 16 or 24, may be followed by suffix denoting additional features, may be followed by B.

Enclosures Series, "T-Type", Model(s): T-Type /W: THIW, TAPW, TAVW, THCW, followed by 06 or 10 or 16 or 24, may be followed by suffix denoting additional features, may be followed by B.

Enclosures Series, "V-Type Lever", Model(s): Series C7, M7 M7A

Mounting Support, "COB", Model(s): COB 06 BC, COB 10 BC, COB 16 BC, COB 24 BC, COB 06 CMS, COB 10 CMS, COB 16 CMS, COB 24 CMS, COB L, COB TCQ, COB TSF, COB TSFS.

Last Updated on 2021-09-21

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"