


SQUICH® - THE CONNECTOR FOR EVERYONE

The cornerstones of **ILME** R&D activity are high quality, easy installation and safe wiring: a pioneering example is the innovative **SQUICH®** technology.

Wiring without tools is the "new standard" operation ILME pursues on connectors.

Insert the wire and just push.

Inserts have patented actuator buttons supplied raised.



The buttons disappear completely once pushed.

Buttons have a **perforated shape**, the checkpoint for measuring devices.

SQUICH® inserts are 100% compatible in the market.

AS SIMPLE AS THAT!

FEATURES SPOTLIGHT











QUICK

REDUCED WIRING TIME

Save up to 50% in wiring time, just push the buttons and the installation process is optimized and practically error-free.

EASY

NO NEED FOR WIRING TOOLS

Just push
the buttons for a
clever connection,
with no need for
specific screwdrivers
and torque control.

UNIVERSAL

SUITABLE FOR ANY WIRE

Suitable for both ferruled and unferruled, flexible and solid wires, with a cross sectional area range of 0,14 mm² to 2,5 mm².

SAFE

VIBRATION RESISTANCE

SQUICH® technology withstands the mechanical stresses and vibrations of even the most demanding applications.





Just push

SQUICH® series



The new era of wiring



CDSH

high density 10A - 400V 9 - 18 - 27 - 42 - 54 - 84 poles



CKSH

compact size 10A - 400V 3 - 4 poles



CSH

the original one 16A - 500V 6 - 10 - 16 -24 - 32 - 48 poles



CX 05 SH

modular version 16A - 400V 5 poles



CMSF

high voltage 16A - 830V 3 - 6 - 12 - 20 poles



CSAH

slim size 16A - 250V 10 - 16 - 32 poles