

Part number

CYFA 25



Female crimp contact, CY series, 200 A, turned silver plated, wire cross section 25 mm², AWG 4


Product description		Material properties	
Product type	Crimp contact	Main material	Copper alloy
Series	CY	RoHs conformity	Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight
Gender	Female	China RoHs - EFUP	50
Technical data		REACH SVHC substances	Yes Lead
Current	200 A	SCIP number	C0979fba-9907-458f-a94a-db781440f273
Wire cross-section	25,00 mm²	Approvals / Standards	
AWG size	4	Certifications	CSA, EAC
Contact type	Turned silver plated	UL	ECBT2
Further technical details		General ordering information	
Weight	30,50 g	EAN13 code	8015747168090
		eCl@ss 8.1	27440204
		ETIM 7.0	EC000796
Packaging Information			
		Packaging length	112,00 mm
		Packaging height	95,00 mm
		Packaging width	117,00 mm
		Packaging weight	1,40 kg
		Packaging volume	1,24 dm³
		Packaging description	Carton box
		Packaging quantity	40 Pcs
		Packaging EAN code	8015747225434
		Sub-packaging length	50,00 mm
		Sub-packaging height	44,00 mm
		Sub-packaging width	50,00 mm
		Sub-packaging weight	0,18 kg
		Sub-packaging volume	0,11 dm³
		Sub-packaging description	Plastic box
		Sub-packaging quantity	5 Pcs
		Sub-packaging EAN barcode	8015747045186

Part number

CYFA 25



Catalogue drawings



CYF and CYM contacts

conductor section $\varnothing A$ (mm ²)	conductor slot (mm)	conductor stripping length (mm)
16	6,1	15
25	7,0	15
35	8,2	15
50	9,8	15
70	11,8	15

Notes

Dimensions shown in mm are not binding and may be changed without notice.

California Proposition 65 Information



WARNING

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to www.P65Warnings.ca.gov.
