## Part number

# MBV 24.240D





Hood, BIG series, with 4 pegs, M40 x 2 top cable entry, size "104.27", with self-centering floating frame

Product description		
Product type	Hood	
Series	BIG	
Closing type	With 4 pegs	
Size	Size "104.27"	
Cable entry	Top cable entry M40 x 2	
Specification	With self-centering floating frame	
Technical data		
IP degree of protection	IP66 / IP67 / IP69	
Further technical details		
Weight	935,00 g	
Operating temperature range (min. max)	-40°C+125°C	


Material properties		
Other materials	Gasket: NBR	
Colour	RAL 7040 grey	
RoHs conformity	Compliant	
China RoHs - EFUP	E	
REACH SVHC substances	No	
Approvals / Standards		
Certifications	DNV, BV	
General ordering information		
EAN13 code	8015747268653	
eCl@ss 8.1	27440202	
ETIM 7.0	EC000437	
Packaging Information		
Packaging length	225,00 mm	
Packaging height	130,00 mm	
Packaging width	150,00 mm	
Packaging weight	2,04 kg	
Packaging volume	4,39 dm³	
Packaging description	Carton box	
Packaging quantity	2 Pcs	
Packaging EAN code	8015747268660	
Sub-packaging weight	1,02 kg	
Sub-packaging description	Plastic packaging	
Sub-packaging quantity	1 Pcs	
Sub-packaging EAN barcode	8015747268677	

#### Part number


## MBV 24.240D



### Catalogue drawings



### Catalogue drawings



#### **Notes**

Due to the absence of locking means, the IP66/IP67/IP69 achievable degree of protection is demanded to the end-use application:

- 1) Suitable pressure, in order to uniformly compress the sealing gasket and keep the connector coupling tight is required: this condition is satisfied when the self-centring guide pins and contact tubes reach their end-of-run and are kept constantly in this position.
- 2) Suitably rated cable entry devices (e.g. cable glands) are required to maintain the desired IP degree of protection. Protection against undue opening under load (connectors without breaking capacity) and closing under voltage is demanded to the end-use application, e.g. by suitable detection of such conditions.

Dimensions shown in mm are not binding and may be changed without notice.