


Part number

CW 2 MIAM



Male HDMI connector, CW patch cords series, type A, for male connector, 2 m cable, with cable clamp

Product description	
Technical data	
Rated impulse withstand voltage	0,8 kV
Pollution degree	3
IP degree of protection	IP20 without enclosure, IP65/IP66/IP68/IP69 with enclosure
Further technical details	
Characteristics according to EN 61984	0,5 A 40 V 0,8 kV 3
Weight	57,50 g
Operating temperature range (min, max)	-40°C ... +75°C

Material properties	
RoHs conformity	Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight
China RoHs - EFUP	50
REACH SVHC substances	Yes Lead
SCIP number	8b60cf05-8f5f-42af-80f1-e79cea373159
General ordering information	
EAN13 code	8015747266697
eCl@ss 8.1	27060308
ETIM 7.0	EC001262
Packaging Information	
Sub-packaging weight	0,06 kg
Sub-packaging description	Plastic packaging
Sub-packaging quantity	1 Pcs
Sub-packaging EAN barcode	8015747266703


Part number

CW 2 MIAM



Catalogue drawings

Catalogue drawings



1		1
2		2
3		3
4		4
5		5
6		6
7		7
8		8
9		9
10		10
11		11
12		12
13		13
14		14
17		17
19		19
15		15
16		16
18		18
SHIELD		SHIELD

Notes

California Proposition 65 Information



WARNING

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to www.P65Warnings.ca.gov.
