

品番

CSEF 16



メス インサート, CSE シリーズ, バネ式結線, 16
極 + PE, 16 A 500 V 6 kV 3, サイズ "77.27"

製品説明

製品タイプ	インサート
シリーズ	CSE
接続タイプ	バネ式接続
性別	メス
極数	16極 + 
サイズ	サイズ "77.27"
技術データ	
電流	16 A
電圧	500 V
定格インパルス耐電圧	6 kV
汚染度	3
導体断面積	0,14 mm ² - 2,50 mm ²
AWG サイズ	26 - 14
コンタクトタイプ	切削コンタクト 銀メッキ
IP 保護等級	エンクロージャなしの場合IP20 エンクロージャ 有りの場合IP65/IP66/IP68/IP69

技術詳細

重さ	89,00 g
動作温度範囲 (最小・最大)	-40 °C ... +125 °C

材料特性

主な素材	ポリカーボネート
カラー	RAL 7032
SCIP 番号	1a9c93ff-0445-4a16-81e3-1609ac5274d6
認証 / 規格	
参照	EN 61984:2009-06
認証	CSA, CQC, DNV, BV, EAC
UL	ECBT2

ジェネラルオーダーリングインフォメーション

EAN13 コード	8015747094450
-----------	---------------

パッケージ情報

パッケージ長さ	230,00 mm
パッケージ高さ	110,00 mm
パッケージ幅	180,00 mm
パッケージ重量	3,10 kg
パッケージ体積	4,55 dm ³
パッケージ 詳細	カートンボックス
パッケージ 数量	30 個
パッケージ EAN コード	8015747094467
サブパッケージ 長さ	87,00 mm
サブパッケージ 高さ	36,00 mm
サブパッケージ 幅	180,00 mm
サブパッケージ 重量	0,52 kg
サブパッケージ 体積	0,56 dm ³
サブパッケージ 詳細	カートントレイ
サブパッケージ 数量	5 個
サブパッケージ EAN パーコード	8015747094474

品番




CSEF 16



カタログ図面

カタログ図面

CSEF / CSEM 16



メモ

mmで示されている寸法は拘束力がなく、予告なく変更される場合があります。

California Proposition 65 Information



WARNING

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 Information



WARNING

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to www.P65Warnings.ca.gov.
