

Part number

CDMA 1.0



Male crimp contact, CD series, 10 A, turned silver plated, wire cross section 1 mm², AWG 18

Product description		Material properties	
Product type	Crimp contact	Main material	Copper alloy
Series	CD		Compliant with exemption
Gender	Male	RoHs conformity	6(c): copper alloy containing up to 4% lead by weight
Technical data		China RoHs - EFUP	50
Current	10 A	REACH SVHC substances	Yes
Wire cross-section	1,00 mm²		Lead
AWG size	18	SCIP number	C0979fba-9907-458f-a94a-db781440f273
Contact type	Turned silver plated	Approvals / Standards	
Further technical details		Certifications	CSA, EAC
Contact resistance	≤ 0,3 mΩ	UL	ECBT2
Weight	0,53 g	General ordering information	
Operating temperature range (min, max)	-40°C ... +125°C	EAN13 code	8015747015356
Conductors stripping length	8 mm	eCl@ss 8.1	27440204
		ETIM 7.0	EC000796
Packaging Information			
Packaging length	112,00 mm	Packaging length	112,00 mm
Packaging height	95,00 mm	Packaging height	95,00 mm
Packaging width	117,00 mm	Packaging width	117,00 mm
Packaging weight	1,17 kg	Packaging weight	1,17 kg
Packaging volume	1,24 dm³	Packaging volume	1,24 dm³
Packaging description	Carton box	Packaging description	Carton box
Packaging quantity	1600 Pcs	Packaging quantity	1600 Pcs
Packaging EAN code	8015747104043	Packaging EAN code	8015747104043
Sub-packaging length	50,00 mm	Sub-packaging length	50,00 mm
Sub-packaging height	44,00 mm	Sub-packaging height	44,00 mm
Sub-packaging width	50,00 mm	Sub-packaging width	50,00 mm
Sub-packaging weight	0,15 kg	Sub-packaging weight	0,15 kg
Sub-packaging volume	0,11 dm³	Sub-packaging volume	0,11 dm³
Sub-packaging description	Plastic box	Sub-packaging description	Plastic box
Sub-packaging quantity	200 Pcs	Sub-packaging quantity	200 Pcs
Sub-packaging EAN barcode	8015747015363	Sub-packaging EAN barcode	8015747015363

Part number

CDMA 1.0



Catalogue drawings



CDF and CDM contacts

conductor section mm ²	conductor slot $\varnothing A$ (mm)	conductors stripping length B (mm)
0,14-0,37	0,9	8
0,5	1,1	8
0,75	1,3	8
1,0	1,45	8
1,5	1,8	8
2,5	2,2	6