UL Product **iQ**[™]

PVVA2.E506437 - MULTI-POINT INTERCONNECTION POWER CABLE ASSEMBLIES FOR INDUSTRIAL MACHINERY - COMPONENT

Multi-point Interconnection Power Cable Assemblies for Industrial Machinery - Component

See General Information for Multi-point Interconnection Power Cable Assemblies for Industrial Machinery - Component

ILME SPA VIA MARCO ANTONIO COLONNA 9 20149 MILANO, MI ITALY E506437

Short-circuit-current Rating

Overcurrent Protection

Model/ Cat. No.	No. of Poles	Con- duc tor Size, AWG	Cur- rent, A	Volt- age, V	Dis- con- nect Use				Fuse Size — Class/Max Amp Rating						Circuit Breaker Size			SCCR, RMS	Volts
							IP Rating	J	т	L	RK1	RK5	G	сс	Mfr	Туре		-	Max, V
Male and	d female	e power	inserts																
CNE	6, 10, 16, 24	12- 14 STR	11.5	600 V ac/dc	-	-	-	-	-	-	-	15.0	-	-	-	-	-	5	600 V ac
CSH	6, 10, 16, 24	14 STR	11.5	600 V ac/dc	-	-	-	-	-	-	-	15.0	-	-	-	-	-	5	600 V ac
CCE	6, 10, 16, 24	14 STR	11.0	600 V ac/dc	-	-	-	-	-	-	-	15.0	-	-	-	-	-	5	600 V ac

Last Updated on 2019-11-26

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

ጯ