

PVVA8.E506437 - Multi-point Interconnection Power Cable Assemblies for Industrial Machinery Certified for Canada - Component

Multi-point Interconnection Power Cable Assemblies for Industrial Machinery Certified for Canada - Component

ILME SPA

Via Marco Antonio
Colonna 9
Milano, Mi 20149 Italy

E506437


**Short-circuit-current Rating
Overcurrent Protection**

| Model/ Cat. No. | No. of Poles | Con- duc tor Size, AWG | Cur- rent, A | Volt- age, V | Dis- con- nect Use | Env Rating | IP Rating | Fuse Size — Class/Max Amp Rating | | | | | | Circuit Breaker Size | | SCCR, RMS Sym, kA | Volts Max, V | | |
|--------------------------------------|------------------------|------------------------------------|--------------------|--------------------|-----------------------------|---------------|--------------|-------------------------------------|---|---|-----|------|---|-------------------------|-----|----------------------------|--------------------|------|----------------|
| | | | | | | | | J | T | L | RK1 | RK5 | G | CC | Mfr | | | Type | Max Amp |
| Male and female power inserts | | | | | | | | | | | | | | | | | | | |
| CNE | 6, 10, 16, 24 | 12- 14 STR | 11.5 | 600 V ac/dc | - | - | - | - | - | - | - | 15.0 | - | - | - | - | - | 5 | 600 V ac |
| CSH | 6, 10, 16, 24 | 14 STR | 11.5 | 600 V ac/dc | - | - | - | - | - | - | - | 15.0 | - | - | - | - | - | 5 | 600 V ac |
| CCE | 6, 10, 16, 24 | 14 STR | 11.0 | 600 V ac/dc | - | - | - | - | - | - | - | 15.0 | - | - | - | - | - | 5 | 600 V ac |
| CQ 05 | 5 | 12 STR | 15.5 | 600 V ac/dc | - | - | - | - | - | - | - | 20.0 | - | - | - | - | - | 5 | 600 V ac |
| CQ 05 | 5 | 14 STR | 15.5 | 600 V ac/dc | - | - | - | - | - | - | - | 20.0 | - | - | - | - | - | 5 | 600 V ac |
| CQ 07 | 7 | 16 STR | 8.0 | 600 V ac/dc | - | - | - | - | - | - | - | 10.0 | - | - | - | - | - | 5 | 600 V ac |
| CQ 07 | 7 | 14 STR | 13.0 | 600 V ac/dc | - | - | - | - | - | - | - | 15.0 | - | - | - | - | - | 5 | 600 V ac |

| | | | | | | | | | | | | | | | | | | | |
|------------------|----|--------|------|-------------|---|---|---|---|---|---|---|------|---|---|---|---|---|---|----------|
| CQ 12 | 12 | 16 STR | 8.0 | 600 V ac/dc | - | - | - | - | - | - | - | 10.0 | - | - | - | - | - | 5 | 600 V ac |
| CQ 12 | 12 | 14 STR | 13.0 | 600 V ac/dc | - | - | - | - | - | - | - | 15.0 | - | - | - | - | - | 5 | 600 V ac |
| CQ 08 | 8 | 14 STR | 12.0 | 600 V ac/dc | - | - | - | - | - | - | - | 15.0 | - | - | - | - | - | 5 | 600 V ac |
| CQ 08 | 8 | 12 STR | 17.5 | 600 V ac/dc | - | - | - | - | - | - | - | 20.0 | - | - | - | - | - | 5 | 600 V ac |
| CQ 04/2 | 4 | 12 STR | 24.0 | 600 V ac/dc | - | - | - | - | - | - | - | 25.0 | - | - | - | - | - | 5 | 600 V ac |
| CQ 04/2 | 4 | 10 STR | 30.0 | 600 V ac/dc | - | - | - | - | - | - | - | 30.0 | - | - | - | - | - | 5 | 600 V ac |
| CQ4 03 | 3 | 14 STR | 23.0 | 600 V ac/dc | - | - | - | - | - | - | - | 25.0 | - | - | - | - | - | 5 | 600 V ac |
| CQ4 02, CQ4 02 H | 2 | 14 STR | 23.0 | 600 V ac/dc | - | - | - | - | - | - | - | 25.0 | - | - | - | - | - | 5 | 600 V ac |
| CQ4 03 | 3 | 12 STR | 30.0 | 600 V ac/dc | - | - | - | - | - | - | - | 30.0 | - | - | - | - | - | 5 | 600 V ac |
| CQ4 02, CQ4 02 H | 2 | 12 STR | 30.0 | 600 V ac/dc | - | - | - | - | - | - | - | 30.0 | - | - | - | - | - | 5 | 600 V ac |
| CQ4 03 | 3 | 10 STR | 40.0 | 600 V ac/dc | - | - | - | - | - | - | - | 40.0 | - | - | - | - | - | 5 | 600 V ac |
| CQ4 02, CQ4 02 H | 2 | 10 STR | 40.0 | 600 V ac/dc | - | - | - | - | - | - | - | 40.0 | - | - | - | - | - | 5 | 600 V ac |
| CQ4 03 | 3 | 8 STR | 40.0 | 600 V ac/dc | - | - | - | - | - | - | - | 50.0 | - | - | - | - | - | 5 | 600 V ac |
| CQ4 02, CQ4 02 H | 2 | 8 STR | 40.0 | 600 V ac/dc | - | - | - | - | - | - | - | 50.0 | - | - | - | - | - | 5 | 600 V ac |
| CQ4 03/2 | 3 | 10 STR | 37.0 | 600 V ac/dc | - | - | - | - | - | - | - | 40.0 | - | - | - | - | - | 5 | 600 V ac |
| CQ4 03/2 | 3 | 12 STR | 30.0 | 600 V ac/dc | - | - | - | - | - | - | - | 30.0 | - | - | - | - | - | 5 | 600 V ac |

| | | | | | | | | | | | | | | | | | | |
|-------------|---|-----------|------|----------------|---|---|---|---|---|---|---|------|---|---|---|---|---|----------------|
| CQ4 03/2 | 3 | 14 STR | 23.0 | 600 V ac/dc | - | - | - | - | - | - | - | 25.0 | - | - | - | - | 5 | 600 V ac |
|-------------|---|-----------|------|----------------|---|---|---|---|---|---|---|------|---|---|---|---|---|----------------|

Marking: Company name or trademark  , *ilme* , catalog designation and the Recognized Component Marking for

Canada  on the product or on the smallest unit container in which the product is packaged.

Last Updated on 2021-07-19

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"